ELSEVIER

Brain Research 916 (2001) 249–250

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abe, M., Oka, T., Hori, T. and Takahashi, S.
Prostanoids in the preoptic hypothalamus mediate systemic lipopolysaccharide-induced hyperalgesia in rats (916) 41
Abrahamson, E.E. and Moore, R.Y.
Suprachiasmatic nucleus in the mouse: retinal innervation, intrinsic organization and efferent projections (916) 172
Abudara, V., Jiang, R.G. and Eyzaguirre, C.
Acidic regulation of junction channels between glomus cells in the rat carotid body. Possible role of $[Ca^{2+}]_i$ (916) 50
Ahlemeyer, B., see de Mello, C.F. (916) 70
Akaike, N., see Cho, Y.-W. (916) 61

Badr, A.E., Yin, W., Mychaskiw, G. and Zhang, J.H.
Effect of hyperbaric oxygen on striatal metabolites: a microdialysis study in awake freely moving rats after MCA occlusion (916) 85
Banik, N.L., see Ray, S.K. (916) 115
Baudry, M., see Liu, W. (916) 239
Baulmann, J., see Spitznagel, H. (916) 11
Bi, R., see Liu, W. (916) 239
Bishop, C., see Currie, P.J. (916) 222
Bliss, T., see Patel, M. (916) 127
Blume, A., see Spitznagel, H. (916) 11
Boatright, J.H., Borst, D.E., Stodulkova, E. and Nickerson, J.M.
Endogenous CRX expression and IRBP promoter activity in retinoblastoma cells (916) 136
Borst, D.E., see Boatright, J.H. (916) 136
Brück, W., see Siebert, H. (916) 159
Bymaster, F.P., Carter, P.A., DeLapp, N.W., Calligaro, D.O. and Felder, C.C.
Receptor reserve of phosphoinositide-coupled muscarinic receptors in mouse hippocampus in vivo (916) 165

Calligaro, D.O., see Bymaster, F.P. (916) 165
Carter, P.A., see Bymaster, F.P. (916) 165
Chase, R.J., see Cooper, R.L. (916) 143
Chiba, S., see Noguchi, T. (916) 91
Cho, Y.-W., Han, S.-H., Min, B.-I., Rhee, J.-S. and Akaike, N.
Antagonizing effect of protein kinase C activation on the μ-opioid agonist-induced inhibition of high voltage-activated calcium current in rat periaqueductal gray neuron (916) 61
Chun, J.T., see Liu, W. (916) 239
Coiro, C.D., see Currie, P.J. (916) 222
Cooper, R.L., Chase, R.J. and Tabor, J.
Altered responsiveness to 5-HT at the crayfish neuromuscular junction due to chronic p-CPA and m-CPP treatment (916) 143
Coscina, D.V., see Currie, P.J. (916) 222
Culman, J., see Spitznagel, H. (916) 11
Currie, P.J., Coscina, D.V., Bishop, C., Coiro, C.D., Koob, G.F., Rivier, J. and Vale, W.
Hypothalamic paraventricular nucleus injections of urocortin alter food intake and respiratory quotient (916) 222

Daudu, P., see Mokashi, A. (916) 32
DeLapp, N.W., see Bymaster, F.P. (916) 165
de Mello, C.F., Kölker, S., Ahlemeyer, B., de Souza, F.R., Fighera, M.R., Mayatepek, E., Krieglstein, J., Hoffmann, G.F. and Wajner, M.
Intrastriatal administration of 3-hydroxyglutaric acid induces convulsions and striatal lesions in rats (916) 70
de Souza, F.R., see de Mello, C.F. (916) 70
Diaz, F.G., see Pilitsis, J.G. (916) 192
DiGuilio, C., see Mokashi, A. (916) 32

Engelke, S., see Siebert, H. (916) 159
Eyzaguirre, C., see Abudara, V. (916) 50

Felder, C.C., see Bymaster, F.P. (916) 165
Fighera, M.R., see de Mello, C.F. (916) 70
Fujimoto, I., see Nakajima, K. (916) 76

Gomez, M.V., see Kushmerick, C. (916) 199

Hall, L.D., see Preece, M. (916) 107
Han, S.-H., see Cho, Y.-W. (916) 61
Harada, N., see Kakiuchi, T. (916) 22
Hashitani, T., see Nakajima, K. (916) 76
Hayes, J.D., see Picklo, M.J. (916) 229
Hida, H., see Nakajima, K. (916) 76
Ho, D., see Patel, M. (916) 127
Hoe, W., see Liu, W. (916) 239
Hoffmann, G.F., see de Mello, C.F. (916) 70
Hogan, E.L., see Ray, S.K. (916) 115
Hori, T., see Abe, M. (916) 41
Huang, C.L.-H., see Preece, M. (916) 107

Iguchi, A., see Zhu, W. (916) 101

James, M.F., see Preece, M. (916) 107
Jiang, R.G., see Abudara, V. (916) 50

Kakiuchi, T., Ohba, H., Nishiyama, S., Sato, K., Harada, N., Nakanishi, S. and Tsukada, H.
Age-related changes in muscarinic cholinergic receptors in the living brain: a PET study using *N*-[^{11}C]methyl-4-piperidyl benzilate combined with cerebral blood flow measurement in conscious monkeys (916) 22
Kawabuchi, M., see Matsuki, T. (916) 1
Kiyama, A., see Matsuki, T. (916) 1
Kölker, S., see de Mello, C.F. (916) 70
Koob, G.F., see Currie, P.J. (916) 222
Krieglstein, J., see de Mello, C.F. (916) 70
Kumazaki, M., see Nakajima, K. (916) 76
Kushmerick, C., Romano-Silva, M.A., Gomez, M.V. and Prado, M.A.M.
Changes in Ca^{2+} channel expression upon differentiation of SN56 cholinergic cells (916) 199

Lahiri, S., see Mokashi, A. (916) 32
Leslie, R.A., see Preece, M. (916) 107
Liu, R., see Liu, W. (916) 239
Liu, W., Liu, R., Chun, J.T., Bi, R., Hoe, W., Schreiber, S.S. and Baudry, M.
Kainate excitotoxicity in organotypic hippocampal slice cultures: evidence for multiple apoptotic pathways (916) 239

Markesbery, W.R., see Picklo, M.J. (916) 229

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)03076-1

Maruschak, B., see Siebert, H. (916) 159
Matsuki, T., Kiyama, A., Kawabuchi, M., Okada, M. and Nagai, K.
A novel protein interacts with a clock-related protein, rPer1 (916) 1
Matzelle, D.D., see Ray, S.K. (916) 115
Mayatepek, E., see de Mello, C.F. (916) 70
McIntosh, L., see Patel, M. (916) 127
Min, B.-I., see Cho, Y.-W. (916) 61
Miura, H., see Zhu, W. (916) 101
Mokashi, A., Roy, A., Rozanov, C., Daudu, P., DiGuilio, C. and Lahiri, S.
Ryanodine receptor-mediated $[Ca^{2+}]_i$ release in glomus cells is independent of natural stimuli and does not participate in the chemosensory responses of the rat carotid body (916) 32
Montero, V.M., Wright, L.S. and Siegel, F.
Increased glutamate, GABA and glutamine in lateral geniculate nucleus but not in medial geniculate nucleus caused by visual attention to novelty (916) 152
Montine, T.J., see Picklo, M.J. (916) 229
Moore, R.Y., see Abrahamson, E.E. (916) 172
Mukherjee, B., see Preece, M. (916) 107
Mychaskiw, G., see Badr, A.E. (916) 85

Nagai, K., see Matsuki, T. (916) 1
Nakajima, K., Hida, H., Shimano, Y., Fujimoto, I., Hashitani, T., Kumazaki, M., Sakurai, T. and Nishino, H.
GDNF is a major component of trophic activity in DA-depleted striatum for survival and neurite extension of DAergic neurons (916) 76
Nakamura, K., see Shirane, M. (916) 211
Nakanishi, S., see Kakiuchi, T. (916) 22
Nickerson, J.M., see Boatright, J.H. (916) 136
Nishino, H., see Nakajima, K. (916) 76
Nishiyama, S., see Kakiuchi, T. (916) 22
Noguchi, T., Yoshida, Y. and Chiba, S.
Effects of psychological stress on monoamine systems in subregions of the frontal cortex and nucleus accumbens of the rat (916) 91

Ohba, H., see Kakiuchi, T. (916) 22
Oka, T., see Abe, M. (916) 41
Okada, M., see Matsuki, T. (916) 1
Olson, S.J., see Picklo, M.J. (916) 229
O'Regan, M.H., see Pilitsis, J.G. (916) 192

Patel, M., McIntosh, L., Bliss, T., Ho, D. and Sapolsky, R.
Interactions among ascorbate, dehydroascorbate and glucose transport in cultured hippocampal neurons and glia (916) 127
Phillis, J.W., see Pilitsis, J.G. (916) 192
Picklo Sr., M.J., Olson, S.J., Hayes, J.D., Markesbery, W.R. and Montine, T.J.
Elevation of AKR7A2 (succinic semialdehyde reductase) in neurodegenerative disease (916) 229
Pilitsis, J.G., Diaz, F.G., O'Regan, M.H. and Phillis, J.W.
Inhibition of Na^+/Ca^{2+} exchange by KB-R7943, a novel selective antagonist, attenuates phosphoethanolamine and free fatty acid efflux in rat cerebral cortex during ischemia-reperfusion injury (916) 192
Prado, M.A.M., see Kushmerick, C. (916) 199
Preece, M., Mukherjee, B., Huang, C.L.-H., Hall, L.D., Leslie, R.A. and James, M.F.
Detection of pharmacologically mediated changes in cerebral activity by functional magnetic resonance imaging: the effects of sulpiride in the brain of the anaesthetised rat (916) 107

Ray, S.K., Matzelle, D.D., Wilford, G.G., Hogan, E.L. and Banik, N.L.
Inhibition of calpain-mediated apoptosis by E-64 d-reduced immediate early gene (IEG) expression and reactive astrogliosis in the lesion and penumbra following spinal cord injury in rats (916) 115
Rhee, J.-S., see Cho, Y.-W. (916) 61
Rivier, J., see Currie, P.J. (916) 222
Romano-Silva, M.A., see Kushmerick, C. (916) 199
Roy, A., see Mokashi, A. (916) 32
Rozanov, C., see Mokashi, A. (916) 32

Sakurai, T., see Nakajima, K. (916) 76
Sapolsky, R., see Patel, M. (916) 127
Sato, K., see Kakiuchi, T. (916) 22
Schreiber, S.S., see Liu, W. (916) 239
Shimano, Y., see Nakajima, K. (916) 76
Shirane, M. and Nakamura, K.
Aniracetam enhances cortical dopamine and serotonin release via cholinergic and glutamatergic mechanisms in SHRSP (916) 211
Siebert, H., Engelke, S., Maruschak, B. and Brück, W.
Concentration-dependent effects of the esterase inhibitor BNPP on macrophage migration and myelin phagocytosis (916) 159
Siegel, F., see Montero, V.M. (916) 152
Spitznagel, H., Baulmann, J., Blume, A., Unger, T. and Culman, J.
C-FOS expression in the rat brain in response to substance P and neurokinin B (916) 11
Stodulkova, E., see Boatright, J.H. (916) 136
Suzuki, Y., see Zhu, W. (916) 101

Tabor, J., see Cooper, R.L. (916) 143
Takahashi, S., see Abe, M. (916) 41
Tsukada, H., see Kakiuchi, T. (916) 22

Umegaki, H., see Zhu, W. (916) 101
Unger, T., see Spitznagel, H. (916) 11

Vale, W., see Currie, P.J. (916) 222

Wajner, M., see de Mello, C.F. (916) 70
Wilford, G.G., see Ray, S.K. (916) 115
Wright, L.S., see Montero, V.M. (916) 152

Yin, W., see Badr, A.E. (916) 85
Yoshida, Y., see Noguchi, T. (916) 91

Zhang, J.H., see Badr, A.E. (916) 85
Zhu, W., Umegaki, H., Suzuki, Y., Miura, H. and Iguchi, A.
Involvement of the bed nucleus of the stria terminalis in hippocampal cholinergic system-mediated activation of the hypothalamo–pituitary–adrenocortical axis in rats (916) 101